



## **Planning Applications – Suggested Informative Statements and Conditions Report**

AW Reference:	00019899
Local Planning Authority:	South Cambridgeshire District
Site:	Agricultural land north east of Back Road, Horseheath
Proposal:	Outline planning application for the erection of up to 95 dwellings with public open space, landscaping and sustainable drainage system (SuDS) and vehicular access point from Back Road. All matters reserved except for means of access.
Planning Application:	S/0096/17/OL

**Prepared by: Sandra Olim**

**Date: 02 March 2017**

---

If you would like to discuss any of the points in this document please  
contact me on 0345 0265 458 or email  
[planningliaison@anglianwater.co.uk](mailto:planningliaison@anglianwater.co.uk)

---

## **ASSETS**

### **Section 1 – Assets Affected**

- 1.1 Our records show that there are no assets owned by Anglian Water or those subject to an adoption agreement within the development site boundary.

## **WASTEWATER SERVICES**

### **Section 2 – Wastewater Treatment**

- 2.1 The foul drainage from this development is in the catchment of Linton Water Recycling Centre that will have available capacity for these flows.

### **Section 3 – Foul Sewerage Network**

- 3.1 The sewerage system at present has available capacity for these flows. If the developer wishes to connect to our sewerage network they should serve notice under Section 106 of the Water Industry Act 1991. We will then advise them of the most suitable point of connection.

### **Section 4 – Surface Water Disposal**

- 4.1 From the details submitted to support the planning application the proposed method of surface water management does not relate to Anglian Water operated assets. As such, we are unable to provide comments on the suitability of the surface water management. The Local Planning Authority should seek the advice of the Lead Local Flood Authority or the Internal Drainage Board. The Environment Agency should be consulted if the drainage system directly or indirectly involves the discharge of water into a watercourse.

Should the proposed method of surface water management change to include interaction with Anglian Water operated assets, we would wish to be re-consulted to ensure that an effective surface water drainage strategy is prepared and implemented.

### **Section 5 – Trade Effluent**

- 5.1 Not applicable
-